Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
11	7411	((370/331) or (370/349) or (370/347) or (370/348) or (370/328) or (370/329) or (455/436-440)).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/08/22 08:09
L2	1	((configuration) adj (message)) and ((PATH) adj (message)) and ((confirmation) adj (message)) and ((RESV) adj (message))	US-PGPUB; USPAT	OR	ON	2005/08/22 08:09
L3	1	((configuration) adj (message)) and (PATH) and ((confirmation) adj (message)) and (RESV)	US-PGPUB; USPAT	OR	ON	2005/08/22 08:10
L4	68	((configuration) adj (message)) and ((confirmation) adj (message))	US-PGPUB; USPAT	OR	ON	2005/08/22 08:10
L5	1	((configuration) adj (message)) and ((confirmation) adj (message))and ((home) adj (address)) and (((care) adj (of) adj (address)) or (COA))	US-PGPUB; USPAT	OR	ON	2005/08/22 08:03
L6	2	((configuration) adj (message)) and ((confirmation) adj (message)) and ((mobile) adj (IP))	US-PGPUB; USPAT	OR	ON	2005/08/22 08:03
IJ	27	((configuration) adj (message)) and ((confirmation) adj (message)) and (IP)	US-PGPUB; USPAT	OR	ON	2005/08/22 08:03
L8	3	((configuration) adj (message)) and ((confirmation) adj (message)) and ((packet) near2 (routing))	US-PGPUB; USPAT	OR	ON	2005/08/22 08:03
L9	1386	(configur\$5) and (confirm\$5) and (packet) near2 (routing))	US-PGPUB; USPAT	OR	ON	2005/08/22 08:11
L10	0	(configur\$5) and (confirm\$5) and ((packet) near2 (routing)) and ((home) adj (address)) and ((visiting) adj (address))	US-PGPUB; USPAT	OR	ON	2005/08/22 08:12
L11	0	(configur\$5) and (confirm\$5) and ((packet) near2 (routing)) and ((home) adj (address)) and ((visiting) adj (location))	US-PGPUB; USPAT	OR	ON	2005/08/22 08:03
L12	11	(configur\$5) and (confirm\$5) and ((packet) near2 (routing)) and ((home) adj (address)) and ((care) adj (address))	US-PGPUB; USPAT	OR	ON	2005/08/22 08:03
L13	95	(configur\$5) and (confirm\$5) and ((packet) near2 (routing)) and ((home) adj (address))	US-PGPUB; USPAT	OR	ON	2005/08/22 08:03

L14	5	(configur\$5) and (confirm\$5) and ((packet) near2 (routing)) and ((home) adj (address)) and (RESV)	US-PGPUB; USPAT	OR	ON	2005/08/22 08:03
L15	5	(configur\$5) and (confirm\$5) and ((packet) near2 (routing)) and ((home) adj ((address) or (agent))) and (RESV)	US-PGPUB; USPAT	OR	ON	2005/08/22 08:13
L16	136	(configur\$5) and (confirm\$5) and ((packet) near2 (routing)) and ((home) adj ((address) or (agent)))	US-PGPUB; USPAT	OR	ON	2005/08/22 08:13
L17	4	(configur\$5) and (confirm\$5) and ((packet) near2 (routing)) and ((home) adj ((address) or (agent))) and (((foreign) or (visiting)) adj ((address) or (agent))) and (RESV)	US-PGPUB; USPAT	OR	ON	2005/08/22 08:14
L18	56	(configur\$5) and (confirm\$5) and ((packet) near2 (routing)) and ((home) adj ((address) or (agent))) and (((foreign) or (visiting)) adj ((address) or (agent)))	US-PGPUB; USPAT	OR	ON	2005/08/22 08:03
L19	45	(configur\$5) and (confirm\$5) and ((packet) near2 (routing)) and ((home) adj ((address) or (agent))) and (((foreign) or (visiting)) adj ((address) or (agent))) and ((roam\$3) or (handoff))	US-PGPUB; USPAT	OR	ON	2005/08/22 08:03
L20	49	(configur\$5) and (confirm\$5) and ((packet) near2 (routing)) and ((home) adj ((address) or (agent))) and ((foreign) or (visiting) or (care-of) or ((care) near1 (of))) adj ((address) or (agent))) and ((roam\$3) or (handoff))	US-PGPUB; USPAT	OR	ON	2005/08/22 08:03
L21	5	(configur\$5) and (confirm\$5) and ((packet) near2 (routing)) and ((home) adj ((address) or (agent))) and ((foreign) or (visiting) or (care-of) or ((care) near1 (of))) adj ((address) or (agent))) and ((roam\$3) or (handoff)) and ((reserv\$3) adj (resource\$1))	US-PGPUB; USPAT	OR	ON	2005/08/22 08:03

L22	6	(configur\$5) and ((confirm\$5) or (acknowledgement)) and ((packet) near2 (routing)) and ((home) adj ((address) or (agent))) and ((foreign) or (visiting) or (care-of) or ((care) near1 (of))) adj ((address) or (agent))) and ((roam\$3) or (handoff)) and ((reserv\$3) adj (resource\$1))	US-PGPUB; USPAT	OR	ON	2005/08/22 08:03
L23	5	L19 and L1	US-PGPUB; USPAT	OR	ON	2005/08/22 08:03
L24	4	(configur\$5) and (confirm\$5) and ((packet) near2 (routing)) and ((home) adj ((address) or (agent))) and ((foreign) or (visiting) or (care-of) or ((care) near1 (of))) adj ((address) or (agent))) and ((roam\$3) or (handoff)) and (RESV)	US-PGPUB; USPAT	OR	ON	2005/08/22 08:03
L25	6	(configur\$5) and ((confirm\$5) or (acknowledgement)) and ((packet) near2 (routing)) and ((home) adj ((address) or (agent))) and (((foreign) or (visiting) or (care-of) or ((care) near1 (of))) adj ((address) or (agent))) and ((roam\$3) or (handoff)) and ((reserv\$3) adj ((resource\$1) or (QOS)))	US-PGPUB; USPAT	OR	ON	2005/08/22 08:15
L26	8	(configur\$5) and ((confirm\$5) or (acknowledgement)) and ((packet) near2 (routing)) and ((home) adj ((address) or (agent))) and (((foreign) or (visiting) or (care-of) or ((care) near1 (of))) adj ((address) or (agent))) and ((roam\$3) or (handoff)) and ((reserv\$3) adj ((resource\$1) or (QOS) Or (bandwidth)))	US-PGPUB; USPAT	OR	ON	2005/08/22 08:03
L27	2	(("6,172,986") or ("6,160,804")). PN.	US-PGPUB; USPAT	OR	OFF	2005/08/22 08:03
L28	7411	((370/331) or (370/349) or (370/347) or (370/348) or (370/328) or (370/329) or (455/436-440)).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/08/22 08:03
L29	1	((configuration) adj (message)) and (PATH) and ((confirmation) adj (message)) and (RESV)	US-PGPUB; USPAT	OR	ON	2005/08/22 08:16
L30	68	((configuration) adj (message)) and ((confirmation) adj (message))	US-PGPUB; USPAT	OR	ON	2005/08/22 08:16

L31	1386	(configur\$5) and (confirm\$5) and ((packet) near2 (routing))	US-PGPUB; USPAT	OR	ON	2005/08/22 08:03
L32	0	(configur\$5) and (confirm\$5) and ((packet) near2 (routing)) and ((home) adj (address)) and ((visiting) adj (address))	US-PGPUB; USPAT	OR	ON	2005/08/22 08:03
L33	0	(configur\$5) and (confirm\$5) and ((packet) near2 (routing)) and ((home) adj (address)) and ((visiting) adj (location))	US-PGPUB; USPAT	OR	ON	2005/08/22 08:03
L34	5	(configur\$5) and (confirm\$5) and ((packet) near2 (routing)) and ((home) adj ((address) or (agent))) and (RESV)	US-PGPUB; USPAT	OR	ON	2005/08/22 08:16
L35	136	(configur\$5) and (confirm\$5) and ((packet) near2 (routing)) and ((home) adj ((address) or (agent)))	US-PGPUB; USPAT	OR	ON	2005/08/22 08:17
L36	4	(configur\$5) and (confirm\$5) and ((packet) near2 (routing)) and ((home) adj ((address) or (agent))) and (((foreign) or (visiting)) adj ((address) or (agent))) and (RESV)	US-PGPUB; USPAT	OR	ON	2005/08/22 08:17
L37	6	(configur\$5) and ((confirm\$5) or (acknowledgement)) and ((packet) near2 (routing)) and ((home) adj ((address) or (agent))) and (((foreign) or (visiting) or (care-of) or ((care) near1 (of))) adj ((address) or (agent))) and ((roam\$3) or (handoff)) and ((reserv\$3) adj ((resource\$1) or (QOS)))	US-PGPUB; USPAT	OR	ON	2005/08/22 08:17
L38	1	((configuration) adj (message)) and ((PATH) adj (message)) and ((confirmation) adj (message)) and ((RESV) adj (message))	US-PGPUB; USPAT	OR	ON	2005/08/22 08:03
L39	1	((configuration) adj (message)) and ((confirmation) adj (message))and ((home) adj (address)) and (((care) adj (of) adj (address)) or (COA))	US-PGPUB; USPAT	OR	ON	2005/08/22 08:03
L40	2	((configuration) adj (message)) and ((confirmation) adj (message)) and ((mobile) adj (IP))	US-PGPUB; USPAT	OR	ON	2005/08/22 08:03
L41	27	((configuration) adj (message)) and ((confirmation) adj (message)) and (IP)	US-PGPUB; USPAT	OR	ON	2005/08/22 08:03

L42	3	((configuration) adj (message)) and ((confirmation) adj (message)) and ((packet) near2 (routing))	US-PGPUB; USPAT	OR	ON	2005/08/22 08:03
L43	11	(configur\$5) and (confirm\$5) and ((packet) near2 (routing)) and ((home) adj (address)) and ((care) adj (address))	US-PGPUB; USPAT	OR	ON	2005/08/22 08:03
L44	95	(configur\$5) and (confirm\$5) and ((packet) near2 (routing)) and ((home) adj (address))	US-PGPUB; USPAT	OR	ON	2005/08/22 08:03
L45	5	(configur\$5) and (confirm\$5) and ((packet) near2 (routing)) and ((home) adj (address)) and (RESV)	US-PGPUB; USPAT	OR	ON	2005/08/22 08:03
L46	56	(configur\$5) and (confirm\$5) and ((packet) near2 (routing)) and ((home) adj ((address) or (agent))) and (((foreign) or (visiting)) adj ((address) or (agent)))	US-PGPUB; USPAT	OR	ON	2005/08/22 08:03
L47	45	(configur\$5) and (confirm\$5) and ((packet) near2 (routing)) and ((home) adj ((address) or (agent))) and (((foreign) or (visiting)) adj ((address) or (agent))) and ((roam\$3) or (handoff))	US-PGPUB; USPAT	OR	ON	2005/08/22 08:03
L48	49	(configur\$5) and (confirm\$5) and ((packet) near2 (routing)) and ((home) adj ((address) or (agent))) and ((foreign) or (visiting) or (care-of) or ((care) near1 (of))) adj ((address) or (agent))) and ((roam\$3) or (handoff))	US-PGPUB; USPAT	OR	ON	2005/08/22 08:03
L49	5	(configur\$5) and (confirm\$5) and ((packet) near2 (routing)) and ((home) adj ((address) or (agent))) and (((foreign) or (visiting) or (care-of) or ((care) near1 (of))) adj ((address) or (agent))) and ((roam\$3) or (handoff)) and ((reserv\$3) adj (resource\$1))	US-PGPUB; USPAT	OR	ON	2005/08/22 08:03

L50	6	(configur\$5) and ((confirm\$5) or (acknowledgement)) and ((packet) near2 (routing)) and ((home) adj ((address) or (agent))) and (((foreign) or (visiting) or (care-of) or ((care) near1 (of))) adj ((address) or (agent))) and ((roam\$3) or (handoff)) and ((reserv\$3) adj (resource\$1))	US-PGPUB; USPAT	OR	ON	2005/08/22 08:03
L51	5	L47 and L28	US-PGPUB; USPAT	OR	ON	2005/08/22 08:03
L52	4	(configur\$5) and (confirm\$5) and ((packet) near2 (routing)) and ((home) adj ((address) or (agent))) and ((foreign) or (visiting) or (care-of) or ((care) near1 (of))) adj ((address) or (agent))) and ((roam\$3) or (handoff)) and (RESV)	US-PGPUB; USPAT	OR	ON	2005/08/22 08:03
L53	8	(configur\$5) and ((confirm\$5) or (acknowledgement)) and ((packet) near2 (routing)) and ((home) adj ((address) or (agent))) and (((foreign) or (visiting) or (care-of) or ((care) near1 (of))) adj ((address) or (agent))) and ((roam\$3) or (handoff)) and ((reserv\$3) adj ((resource\$1) or (QOS) Or (bandwidth)))	US-PGPUB; USPAT	OR	ON	2005/08/22 08:03
L54	2	(("6,172,986") or ("6,160,804")). PN.	US-PGPUB; USPAT	OR	OFF	2005/08/22 08:03
L55	5	(US-20020085517-\$).did. or (US-5825759-\$ or US-6665537-\$ or US-6160804-\$ or US-6172986-\$).did.	US-PGPUB; USPAT	OR	ON	2005/08/22 08:03
S1	6359	((370/331) or (370/349) or (370/347) or (370/348) or (370/328) or (370/329) or (455/436-440)).CCLS.	US-PGPUB; USPAT	OR	OFF	2004/12/13 07:19
S2	1	((configuration) adj (message)) and ((PATH) adj (message)) and ((confirmation) adj (message)) and ((RESV) adj (message))	US-PGPUB; USPAT	OR	ON	2004/12/13 06:05
S3	1	((configuration) adj (message)) and (PATH) and ((confirmation) adj (message)) and (RESV)	US-PGPUB; USPAT	OR	ON	2004/12/13 06:06
S4	55	((configuration) adj (message)) and ((confirmation) adj (message))	US-PGPUB; USPAT	OR	ON	2004/12/13 06:30

S5	1	((configuration) adj (message)) and ((confirmation) adj (message))and ((home) adj (address)) and (((care) adj (of) adj (address)) or (COA))	US-PGPUB; USPAT	OR	ON	2004/12/13 06:08
S6	18	((configuration) adj (message)) and ((confirmation) adj (message)) and (IP)	US-PGPUB; USPAT	OR	ON	2004/12/13 06:33
S7	2	((configuration) adj (message)) and ((confirmation) adj (message)) and ((mobile) adj (IP))	US-PGPUB; USPAT	OR	ON	2004/12/13 06:30
S8	2	((configuration) adj (message)) and ((confirmation) adj (message)) and ((packet) near2 (routing))	US-PGPUB; USPAT	OR	ON	2004/12/13 06:35
S9	1148	(configur\$5) and (confirm\$5) and ((packet) near2 (routing))	US-PGPUB; USPAT	OR	ON	2004/12/13 06:36
S10	78	(configur\$5) and (confirm\$5) and ((packet) near2 (routing)) and ((home) adj (address))	US-PGPUB; USPAT	OR	ON	2004/12/13 06:40
S11	0	(configur\$5) and (confirm\$5) and ((packet) near2 (routing)) and ((home) adj (address)) and ((visiting) adj (address))	US-PGPUB; USPAT	OR	ON	2004/12/13 06:37
S12	0	(configur\$5) and (confirm\$5) and ((packet) near2 (routing)) and ((home) adj (address)) and ((visiting) adj (location))	US-PGPUB; USPAT	OR	ON	2004/12/13 06:37
S13	8	(configur\$5) and (confirm\$5) and ((packet) near2 (routing)) and ((home) adj (address)) and ((care) adj (address))	US-PGPUB; USPAT	OR	ON	2004/12/13 06:37
S14	5	(configur\$5) and (confirm\$5) and ((packet) near2 (routing)) and ((home) adj (address)) and (RESV)	US-PGPUB; USPAT	OR	ON	2004/12/13 06:42
S15	5	(configur\$5) and (confirm\$5) and ((packet) near2 (routing)) and ((home) adj ((address) or (agent))) and (RESV)	US-PGPUB; USPAT	OR	ON	2004/12/13 06:42
S16	98	(configur\$5) and (confirm\$5) and ((packet) near2 (routing)) and ((home) adj ((address) or (agent)))	US-PGPUB; USPAT	OR	ON	2004/12/13 06:43
S17	45	(configur\$5) and (confirm\$5) and ((packet) near2 (routing)) and ((home) adj ((address) or (agent))) and (((foreign) or (visiting)) adj ((address) or (agent)))	US-PGPUB; USPAT	OR	ON	2004/12/13 06:47

S18	4	(configur\$5) and (confirm\$5) and ((packet) near2 (routing)) and ((home) adj ((address) or (agent))) and (((foreign) or (visiting)) adj ((address) or (agent))) and (RESV)	US-PGPUB; USPAT	OR	ON	2004/12/13 06:44
S19	37	(configur\$5) and (confirm\$5) and ((packet) near2 (routing)) and ((home) adj ((address) or (agent))) and (((foreign) or (visiting)) adj ((address) or (agent))) and ((roam\$3) or (handoff))	US-PGPUB; USPAT	OR	ÖN	2004/12/13 06:52
S20	41	(configur\$5) and (confirm\$5) and ((packet) near2 (routing)) and ((home) adj ((address) or (agent))) and ((foreign) or (visiting) or (care-of) or ((care) near1 (of))) adj ((address) or (agent))) and ((roam\$3) or (handoff))	US-PGPUB; USPAT	OR	ON	2004/12/13 07:22
S21	5	(configur\$5) and (confirm\$5) and ((packet) near2 (routing)) and ((home) adj ((address) or (agent))) and (((foreign) or (visiting) or (care-of) or ((care) near1 (of))) adj ((address) or (agent))) and ((roam\$3) or (handoff)) and ((reserv\$3) adj (resource\$1))	US-PGPUB; USPAT	OR	ON	2004/12/13 07:12
S22	6	(configur\$5) and ((confirm\$5) or (acknowledgement)) and ((packet) near2 (routing)) and ((home) adj ((address) or (agent))) and (((foreign) or (visiting) or (care-of) or ((care) near1 (of))) adj ((address) or (agent))) and ((roam\$3) or (handoff)) and ((reserv\$3) adj (resource\$1))	US-PGPUB; USPAT	OR	ON	2004/12/13 07:24
S23	3	S19 and S1	US-PGPUB; USPAT	OR	ON	2004/12/13 07:20
S24	4	(configur\$5) and (confirm\$5) and ((packet) near2 (routing)) and ((home) adj ((address) or (agent))) and ((foreign) or (visiting) or (care-of) or ((care) near1 (of))) adj ((address) or (agent))) and ((roam\$3) or (handoff)) and (RESV)	US-PGPUB; USPAT	OR	ON	2004/12/13 07:22

S25	6	(configur\$5) and ((confirm\$5) or (acknowledgement)) and ((packet) near2 (routing)) and ((home) adj ((address) or (agent))) and ((foreign) or (visiting) or (care-of) or ((care) near1 (of))) adj ((address) or (agent))) and ((roam\$3) or (handoff)) and ((reserv\$3) adj ((resource\$1) or (QOS)))	US-PGPUB; USPAT	OR	ON	2004/12/13 07:25
S26	7	(configur\$5) and ((confirm\$5) or (acknowledgement)) and ((packet) near2 (routing)) and ((home) adj ((address) or (agent))) and (((foreign) or (visiting) or (care-of) or ((care) near1 (of))) adj ((address) or (agent))) and ((roam\$3) or (handoff)) and ((reserv\$3) adj ((resource\$1) or (QOS) Or (bandwidth)))	US-PGPUB; USPAT	OR	ON	2004/12/13 07:29
S27	2	(("6,172,986") or ("6,160,804")). PN.	US-PGPUB; USPAT	OR	OFF	2004/12/13 07:30
S28	6359	((370/331) or (370/349) or (370/347) or (370/348) or (370/328) or (370/329) or (455/436-440)).CCLS.	US-PGPUB; USPAT	OR	OFF	2004/12/13 10:47
S29	1	((configuration) adj (message)) and ((PATH) adj (message)) and ((confirmation) adj (message)) and ((RESV) adj (message))	US-PGPUB; USPAT	OR	ON	2004/12/13 10:47
S30	1	((configuration) adj (message)) and (PATH) and ((confirmation) adj (message)) and (RESV)	US-PGPUB; USPAT	OR	ON	2004/12/13 10:47
S31	55	((configuration) adj (message)) and ((confirmation) adj (message))	US-PGPUB; USPAT	OR	ON	2004/12/13 10:47
S32	1	((configuration) adj (message)) and ((confirmation) adj (message))and ((home) adj (address)) and (((care) adj (of) adj (address)) or (COA))	US-PGPUB; USPAT	OR	ON	2004/12/13 10:47
S33	2	((configuration) adj (message)) and ((confirmation) adj (message)) and ((mobile) adj (IP))	US-PGPUB; USPAT	OR	ON	2004/12/13 10:47
S34	18	((configuration) adj (message)) and ((confirmation) adj (message)) and (IP)	US-PGPUB; USPAT	OR	ON	2004/12/13 10:47
S35	2	((configuration) adj (message)) and ((confirmation) adj (message)) and ((packet) near2 (routing))	US-PGPUB; USPAT	OR	ON	2004/12/13 10:47

S36	1148	(configur\$5) and (confirm\$5) and ((packet) near2 (routing))	US-PGPUB; USPAT	OR	ON	2004/12/13 10:47
S37	0	(configur\$5) and (confirm\$5) and ((packet) near2 (routing)) and ((home) adj (address)) and ((visiting) adj (address))	US-PGPUB; USPAT	OR	ON	2004/12/13 10:47
S38	0	(configur\$5) and (confirm\$5) and ((packet) near2 (routing)) and ((home) adj (address)) and ((visiting) adj (location))	US-PGPUB; USPAT	OR	ON	2004/12/13 10:47
S39	8	(configur\$5) and (confirm\$5) and ((packet) near2 (routing)) and ((home) adj (address)) and ((care) adj (address))	US-PGPUB; USPAT	OR	ON	2004/12/13 10:47
S40	78	(configur\$5) and (confirm\$5) and ((packet) near2 (routing)) and ((home) adj (address))	US-PGPUB; USPAT	OR	ON	2004/12/13 10:47
S41	5	(configur\$5) and (confirm\$5) and ((packet) near2 (routing)) and ((home) adj (address)) and (RESV)	US-PGPUB; USPAT	OR	ON	2004/12/13 10:47
S42	5	(configur\$5) and (confirm\$5) and ((packet) near2 (routing)) and ((home) adj ((address) or (agent))) and (RESV)	US-PGPUB; USPAT	OR	ON	2004/12/13 10:47
S43	98	(configur\$5) and (confirm\$5) and ((packet) near2 (routing)) and ((home) adj ((address) or (agent)))	US-PGPUB; USPAT	OR	ON	2004/12/13 10:47
S44	4	(configur\$5) and (confirm\$5) and ((packet) near2 (routing)) and ((home) adj ((address) or (agent))) and (((foreign) or (visiting)) adj ((address) or (agent))) and (RESV)	US-PGPUB; USPAT	OR	ON	2004/12/13 10:47
S45	45	(configur\$5) and (confirm\$5) and ((packet) near2 (routing)) and ((home) adj ((address) or (agent))) and (((foreign) or (visiting)) adj ((address) or (agent)))	US-PGPUB; USPAT	OR	ON	2004/12/13 10:47
S46	37	(configur\$5) and (confirm\$5) and ((packet) near2 (routing)) and ((home) adj ((address) or (agent))) and (((foreign) or (visiting)) adj ((address) or (agent))) and ((roam\$3) or (handoff))	US-PGPUB; USPAT	OR	ON	2004/12/13 10:47

S47	41	(configur\$5) and (confirm\$5) and ((packet) near2 (routing)) and ((home) adj ((address) or (agent))) and ((foreign) or (visiting) or (care-of) or ((care) near1 (of))) adj ((address) or (agent))) and ((roam\$3) or (handoff))	US-PGPUB; USPAT	OR	ON	2004/12/13 10:47
S48	5	(configur\$5) and (confirm\$5) and ((packet) near2 (routing)) and ((home) adj ((address) or (agent))) and (((foreign) or (visiting) or (care-of) or ((care) near1 (of))) adj ((address) or (agent))) and ((roam\$3) or (handoff)) and ((reserv\$3) adj (resource\$1))	US-PGPUB; USPAT	OR	ON	2004/12/13 10:47
S49	6	(configur\$5) and ((confirm\$5) or (acknowledgement)) and ((packet) near2 (routing)) and ((home) adj ((address) or (agent))) and (((foreign) or (visiting) or (care-of) or ((care) near1 (of))) adj ((address) or (agent))) and ((roam\$3) or (handoff)) and ((reserv\$3) adj (resource\$1))	US-PGPUB; USPAT	OR	ON	2004/12/13 10:47
S50	3	S46 and S28	US-PGPUB; USPAT	OR	ON	2004/12/13 10:47
S51	4	(configur\$5) and (confirm\$5) and ((packet) near2 (routing)) and ((home) adj ((address) or (agent))) and ((foreign) or (visiting) or (care-of) or ((care) near1 (of))) adj ((address) or (agent))) and ((roam\$3) or (handoff)) and (RESV)	US-PGPUB; USPAT	OR	ON	2004/12/13 10:47
S52	6	(configur\$5) and ((confirm\$5) or (acknowledgement)) and ((packet) near2 (routing)) and ((home) adj ((address) or (agent))) and (((foreign) or (visiting) or (care-of) or ((care) near1 (of))) adj ((address) or (agent))) and ((roam\$3) or (handoff)) and ((reserv\$3) adj ((resource\$1) or (QOS)))	US-PGPUB; USPAT	OR	ON	2004/12/13 10:47

S53	7	(configur\$5) and ((confirm\$5) or (acknowledgement)) and ((packet) near2 (routing)) and ((home) adj ((address) or (agent))) and (((foreign) or (visiting) or (care-of) or ((care) near1 (of))) adj ((address) or (agent))) and ((roam\$3) or (handoff)) and ((reserv\$3) adj ((resource\$1) or (QOS) Or (bandwidth)))	US-PGPUB; USPAT	OR	ON	2004/12/13 10:47
S54	2	(("6,172,986") or ("6,160,804")). PN.	US-PGPUB; USPAT	OR	OFF	2004/12/13 10:47
S55	5	(US-20020085517-\$).did. or (US-5825759-\$ or US-6665537-\$ or US-6160804-\$ or US-6172986-\$).did.	US-PGPUB; USPAT	OR	ON	2004/12/13 13:57